

## SSP4749 Series Platinum Cure Silicones

### PRODUCT DESCRIPTION

SSP4749 is a series of translucent heat cured silicone elastomers. These product use a platinum catalyst system. SSP4749 series are FDA CFR 177.2600, USP Class VI, and RoHS compliant. They can be supplied as ready-to-mold compounds.

<u>Product</u>	<u>Shore A</u>	<u>Tensile (psi)</u>	<u>Elongation (%)</u>	<u>Tear B (ppi)</u>	<u>Specific Gravity</u>
SSP4749-10	10	870	1200	135	1.07
SSP4749-20	20	1300	920	150	1.11
SSP4749-30	30	1400	720	125	1.09
SSP4749-40	40	1400	850	250	1.11
SSP4749-50	50	1350	675	150	1.13
SSP4749-60	60	1350	700	225	1.17
SSP4749-70	70	1400	700	225	1.18
SSP4749-80	80	1475	700	225	1.20

**Cure Profile:** Compression cure for 10 minutes at 177°C (350°F).

### CATALYZING

Raw material available catalyzed and ready for press cure molding.

### SHELF LIFE

Catalyzed – 6 months.

Cold storage will extend shelf life.

### HANDLING & SAFETY

MSDS information is available on request.

To order call (215)-335-3005/ or Fax (215)-335-9433.

### **Stockwell Elastomerics, Inc.**

\*4749 Tolbut Street \* Philadelphia, PA 19136

Because we cannot foresee or control varied conditions under which this information and our materials may be used, we do not guarantee the applicability or accuracy of this information or the suitability of our materials for their specific purposes. This material is provided without warranty, either expressed or implied, of fitness for a specific purpose or nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents.